



Unlimited  
Rope Solutions

## Technical Datasheet

Reference:	01070-0400
	LIROLEN-braided cord, PP-multifilament, 4mm
Quality / Core:	without
Quality / Cover:	polypropylene
Temperature:	upper temperature limit: 80°C
	softening temperature: 140°C
	melting temperature: 170°C
Diameter [mm]:	4
Weight [g/m]:	6,6
Breaking strength [daN]:	280
Stretch characteristics [%]:	<12
Construction:	plaited
UV-resistance:	satisfactory
Waterabsorption:	0%

Remarks:

Berg, 22.02.2016



Address: Siegrubenstraße 7  
D-95180 Berg

CEO: Karl Friedrich Rosenberger  
Sven Rosenberger

VAT-No. DE133181121  
TAX-No. 223/131/50201  
Court: HRB 2102, Amtsgericht Hof

Phone: +49 (0) 9293/8002-0  
Fax: +49 (0) 9293/8002-024  
E-Mail: info@liros.com  
Internet: www.liros.com

